

BeActive LTC Deck Reference List

American Association of Retired Persons. *Nursing Home Quality Indicators: Their Uses and Limitations*. Washington, DC: American Association of Retired Persons; 2002.

American Diabetes Association. Standards of medical care in diabetes—2008. *Diabetes Care*. 2008;31(suppl 1):S12-S54.

American Diabetes Association. Standards of medical care in diabetes—2006. *Diabetes Care*. 2006;29(suppl 1):S4-S42.

Centers for Medicare & Medicaid Services. *MDS 3.0: Recommended Content from National Evaluation Study* [Draft]. Baltimore, Md: Centers for Medicare & Medicaid Services; January 15, 2008.

Chobanian AV, Bakris GL, Black HR, et al, and the National High Blood Pressure Education Program Coordinating Committee. Seventh report of the Joint National Committee on Prevention, Detection, Evaluation, and Treatment of High Blood Pressure. *Hypertension*. 2003;42:1206-1252.

Collins AJ, Li S, Gilbertson DT, Liu J, Chen S-C, Herzog CA. Chronic kidney disease and cardiovascular disease in the Medicare population. *Kidney Int*. 2003;64(suppl 87):S24-S31.

Collins AJ. The hemoglobin link to adverse outcomes. *Adv Stud Med*. 2003;3:S194-S197.

Coresh J, Selvin E, Stevens LA, et al. Prevalence of chronic kidney disease in the United States. *JAMA*. 2007;298:2038-2047.

Cushman WC, Ford CE, Cutler JA, et al. Success and Predictors of Blood Pressure Control in Diverse North American Settings: The Antihypertensive and Lipid-Lowering Treatment to Prevent Heart Attack Trial (ALLHAT). *J Clin Hypertens*. 2002;4:393-404.

Garg AX, Blake PG, Clark WF, Clase CM, Haynes RB, Moist LM. Association between renal insufficiency and malnutrition in older adults: results from the NHANES III. *Kidney Int*. 2001;60:1867-1874.

Garg AX, Papaioannou A, Ferko N, Campbell G, Clarke J-A, Ray JG. Estimating the prevalence of renal insufficiency in seniors requiring long-term care. *Kidney Int*. 2004;65:649-653.

Geriatrics Interdisciplinary Advisory Group. Interdisciplinary care for older adults with complex needs: American Geriatrics Society position statement. May 2005: New York, NY.

Gilbertson DT, Liu J, Xue JL, et al. Projecting the number of patients with end-stage renal disease in the United States to the year 2015. *J Am Soc Nephrol*. 2005;16:3736-3741.

Go AS, Chertow GM, Fan D, McCulloch CE, Hsu C-y. Chronic kidney disease and the risks of death, cardiovascular events, and hospitalization. *N Engl J Med*. 2004;351:1296-1305.

Guralnik JM, Ershler WB, Schrier SL, Picozzi VJ. Anemia in the elderly: a public health crisis in hematology. *Hematology*. 2005:528-532.

Hansberry MR, Whittier WL, Krause MW. The elderly patient with chronic kidney disease. *Adv Chronic Kidney Dis*. 2005;12:71-77.

Hemmelgarn BR, Manns BJ, Zhang J, et al. Association between multidisciplinary care and survival for elderly patients with chronic kidney disease. *J Am Soc Nephrol*. 2007;18:993-999.

Hlatky MA. Comorbidity and outcome in patients with coronary artery disease [editorial]. *J Am Coll Cardiol*. 2004;43:583-584. Available at: <http://content.onlinejacc.org/cgi/content/full/43/4/583>. Accessed February 13, 2008.

Kopple JD, Zhu X, Lew NL, Lowrie EG. Body weight-for-height relationships predict mortality in maintenance hemodialysis patients. *Kidney Int*. 1999;56:1136-1148.

Leavey SF, Strawderman RL, Jones CA, Port FK, Held PJ. Simple nutritional indicators as independent predictors of mortality in hemodialysis patients. *Am J Kidney Dis*. 1998; 31:997-1006.

Levey AS, Beto JA, Coronado BE, et al. Controlling the epidemic of cardiovascular disease in chronic renal disease: what do we know? What do we need to learn? Where do we go from here? *Am J Kidney Dis*. 1998;32:853-906.

Levey AS, Coresh J, Balk E, et al. National Kidney Foundation practice guidelines for chronic kidney disease: evaluation, classification, and stratification. *Ann Intern Med*. 2003;139:137-147.

Maraldi C, Ble A, Zuliani G, et al. Association between anemia and physical disability in older patients: role of comorbidity. *Aging Clin Exp Res*. 2006;18:485-492.

McClellan W, Aronoff SL, Bolton WK, et al. The prevalence of anemia in patients with chronic kidney disease. *Curr Med Res Opin*. 2004;20:1501-1510.

Messinger-Rapport BJ, Morley JE, Thomas DR, Gammack JK. Intensive session: new approaches to medical issues in long-term care. *J Am Med Dir Assoc*. 2007;8:421-433.

National Kidney Foundation. Chronic kidney disease (CKD): the facts about chronic kidney disease (CKD). Available at:
<http://www.kidney.org/kidneydisease/ckd/index.cfm>. Accessed February 1, 2008.

National Kidney Foundation. K/DOQI clinical practice guidelines and clinical practice recommendations for anemia in chronic kidney disease. *Am J Kidney Dis.* 2006;47(suppl 3):S1-S145.

National Kidney Foundation. K/DOQI clinical practice guidelines for chronic kidney disease: evaluation, classification, and stratification. *Am J Kidney Dis.* 2002;39(suppl 1):S1-S266.

National Kidney Foundation. K/DOQI clinical practice guidelines for anemia of chronic kidney disease: update 2000. *Am J Kidney Dis.* 2001;37(suppl 1):S182-S238.

National Kidney Foundation. K/DOQI clinical practice guidelines on hypertension and antihypertensive agents in chronic kidney disease. *Am J Kidney Dis.* 2004;43(suppl 1):S1-S290.

National Kidney Foundation. KEEP annual data report 2005. *Am J Kidney Dis.* 2005;46(suppl 3):S1-S158.

National Kidney Foundation. NKF K/DOQ guidelines 2000: guidelines for anemia of chronic kidney disease. Available at:
http://www.kidney.org/professionals/kdoqi/guidelines_updates/doqiupan_i.html. Accessed December 18, 2006.

National Kidney Foundation. NKF K/DOQI guidelines 2000. 1. Adult guidelines. B. Advanced chronic renal failure without dialysis. Available at:
http://www.kidney.org/professionals/kdoqi/guidelines/nut_a24.html. Accessed November 21, 2006.

Nephron Information Center. MDRD GFR calculator (with SI units). Available at:
http://nephron.com/cgi-bin/MDRD_GFR.cgi. Accessed December 11, 2007.

Pandya N, Bookhart B, Mody SH, Orsini PAF, Reardon G. Study of anemia in long-term care (SALT)—prevalence of anemia in nursing home residents: relationship with resident characteristics and comorbidities. Poster presented at: Annual Symposium of the American Medical Directors Association; March 29-April 1, 2007; Hollywood, Fla.

Pandya N, Bookhart B, Mody SH, Reardon G, Orsini PAF. Study of anemia in long-term care (SALT): relationship between anemia and falls in the nursing home setting. Poster presented at: Annual International Meeting of the International Society of Pharmacoeconomics and Outcomes Research; May 19-23, 2007; Arlington, Va.

Penninx BW, Pahor N, Woodman RC, Ferrucci L, Guralnik JM. Late-life anemia identifies persons at risk for mortality and hospitalization [abstract]. *Blood*. 2003;102(11, pt 1):251a. Abstract 881.

Philpot T, Bookhart B, Lampasona V, Mody SH. Anemia in long-term care patients: prevalence and relationship to falls. Poster presented at: Annual International Meeting of the International Society for Pharmacoeconomics and Outcomes Research; May 19-23, 2007; Arlington, Va.

Pupim LB, Cuppari L, Ikizler TA. Nutrition and metabolism in kidney disease. *Semin Nephrol*. 2006;26:134-157.

Resnick B. The multidisciplinary team approach in assessing chronic kidney disease (CKD) and CKD-related anemia: strategies for the long-term care setting. *ElderCare*. 2005;5:7-10.

Salive ME, Cornoni-Huntley J, Guralnik JM, et al. Anemia and hemoglobin levels in older persons: relationship with age, gender, and health status. *J Am Geriatr Soc*. 1992;40:489-496.

Schoolwerth AC, Engelgau MM, Hostetter TH, et al. Chronic kidney disease: a public health problem that needs a public health action plan. *Prev Chronic Dis* [serial online]. 2006;3:1-6. Available at: http://www.cdc.gov/pcd/issues/2006/apr/05_0105.htm. Accessed December 4, 2007.

Shlipak MG, Fried LF, Cushman M, et al. Cardiovascular mortality risk in chronic kidney disease: comparison of traditional and novel risk factors. *JAMA*. 2005;293:1737-1745.

The American Society of Nephrology. Kidney disease: a growing public health and economic concern. Available at: http://www.ash-online.org/facts_and_statistics/faqs/index.aspx. Accessed February 1, 2008.

United States Renal Data System. *2002 Annual Data Report: Atlas of End-Stage Renal Disease in the United States*. Bethesda, Md: National Institutes of Health, National Institute of Diabetes & Digestive & Kidney Diseases, Division of Kidney, Urologic, and Hematologic Diseases; 2002.

United States Renal Data System. *2006 Annual Data Report: Atlas of Chronic Kidney Disease & End-Stage Renal Disease in the United States*. Bethesda, Md: National Institutes of Health, National Institute of Diabetes & Digestive & Kidney Diseases, Division of Kidney, Urologic, & Hematologic Diseases; 2006.

United States Renal Data System. 2007 annual data report reference tables: incidence. Available at: http://www.usrds.org/2007/ref/A_incidence_07.pdf. Accessed February 6, 2008.

US Department of Health and Human Services. *Vital and Health Statistics: Summary Health Statistics for US Adults: National Health Interview Survey, 1999*. Hyattsville, Md: US Department of Health and Human Services, Centers for Disease Control and Prevention, National Center for Health Statistics; August 2003. DHHS Publication No. (PHS) 2003-1540.

Zamboni V, Cesari M, Zuccalà G, et al. Anemia and cognitive performance in hospitalized older patients: results from the GIFA study. *Int J Geriatr Psychiatry*. 2006;21:529-534.